

INFINITY Ceiling



A customisable tension fabric ceiling featuring advanced shadowless LED lumination technology

Max Width 2.9m | Max Length 25m | Indoor Use Only



Remote Driver



Features & Benefits

Shadowless Lighting Solution

Advanced LED technology ensures a spotless panel appearance with uniform omnidirectional light output that eliminates shadow.

High-Efficiency Ceiling Lighting

Light output 4000K at 90CRI as standard with power options of 12 or 22 W/m². Other CCT options are available on request.

Clean & Unobtrusive Design

A near-borderless, single piece panel design, and extremely shallow profile, make incorporating infinity ceiling into your design a breeze.

Integrated Noise Reduction

An integrated acoustic panel system absorbs sound reducing the effects of reflected noise.

Bespoke Sizing

Made to measure in increments of 300mm. Maximum width of 2.9m and nominal maximum length 25.3m.

Compliance

UKCA, CE, UL

5-Year Warranty

Standard 5-year warranty, L90 @ ~50,000 hours

LIGHT OUTPUT INFORMATION


CCT	4000K (Other options available on request)
CRI	≥90
Optical Data/Beam Angle	Diffuse Uniform Output (Shadowless)
LED Binning	3 SDCM

ELECTRICAL INFORMATION

Power Options	12 or 22 W/m ²
Efficacy	TBC
Nominal Input Voltage	24 VDC
Driver Type	Remote 24 VDC
Connection Type	Plug and Play Interconnect Between Panels
Dimmable	Single Channel - 0-10V, DALI (Please enquire about other protocols)

PHYSICAL & ENVIRONMENTAL INFORMATION

Dimensions



Length = 600mm increments + 100mm (Min = 700mm Max = 25,300mm)

Width = 300mm increments + 194.5mm (Min = 1,394.5mm, Max = 2,894.5mm)

Nominal Weight	15kg/m ²
Material	Framework = Anodised Aluminium Extrusion Panel Front = White Tensioned Woven Fabric
Frame Colour	Dark Bronze Powder Coat (Please enquire if another colour is required)
Ambient Operation Temperature (°C)	10 to 35
IP Rating	IP20
IK Rating	n/a

STANDARDS & CERTIFICATIONS

Compliance

Standard Marks



Environmental Suitability

Sustainability

Responsibly manufactured from materials that are free from 'Red List' chemicals

Recyclable

Partially recyclable. Aluminium frame fully recyclable at end of life.

Reliability

Manufacturing

All Vexica products are manufactured in our UK-based factory using components sourced from internationally recognised 'tier 1' suppliers

Quality Assurance

Each product is designed and manufactured for reliability and each batch undergoes thorough quality assurance testing

Warranty & Terms

[Terms & Conditions](#)

[Warranty Registration](#)

For details on our business terms or to register your purchase for warranty, please click or scan the QR Code.

Notes